American Rescue Plan Working Group

Council Chambers, Newtown Municipal Center 3 Primrose St Newtown Ct

Monday, August 8

Minutes

Present: Ed Schierloh, Erica Sullivan, and Michelle Ku

Absent: Charles Gardner, Matt Mihalcik, and 2nd BOF representative

Also Present: First Selectman Dan Rosenthal, Finance Director Bob Tait, Chair of the Board of Fire Commissioners Pat Reilly, Fire Commissioner Jay Nezvesky, Fire Chief Ron Bolmer, Fire Chief Chris Ward, Newtown Bike & Trails Committee Members Brad Accettella and Glenn Boyle.

A meeting of the American Rescue Plan Working Group was scheduled for Monday, August 8 at 6:30pm. There not being a quorum, the meeting was not called to order. However, there was discussion among those present.

Pat Reilly shared a letter from the Fire Chiefs (Attachment A) requesting \$100,000 for each fire company for equipment and facilities maintenance projects. The Fire Commissioners and Chiefs spoke to specific questions about the requests.

Brushfire rescue skid for UTV – the UTV that was purchased last year is shared across Newtown Fire Companies. The skid would carry a tank that could be used to bring water into harder-to-reach places. Sandy Hook has a UTV set up for emergency rescue (also used across the entire town).

Refurbishment of New Rescue Truck – truck was purchased last year from another town/city.

Fire Station vehicle exhaust removal system \$30,000 – National Fire Protection Association (NFPA) standards direct that fire stations capture vehicle exhaust emissions to prevent exposure to those in the building.

Hydrofusion Strut system used to stabilize a vehicle or structure – the company applied for a grant for this last year but were denied.

Questions from the ARP workgroup:

How would these be paid otherwise?

Possibility of saving from annual budget over many years.

What portion of the fire stations are owned/maintained by the municipality versus the company?

Companies own the buildings. Town pays utilities, insurance.

Fire engines owned by the individual companies and some are owned by the town

Building maintenance is shared by town and companies

Are grants available?

Grants are available for some items – FEMA has cycles of availability for different items

The ARP funds previously awarded to the companies have been allocated for other items

Which items most benefit the community as a whole?

Safety items are always beneficial. Items such as parking lot paving are out of reach for the fire companies.

Two requests were made in addition to the list provided in the letter (Attachment A): A mechanical system for raising and lowering the flag on the Main St. flagpole was requested for safety reasons (flag was raised/lowered 76 times in 2020). This is within the Burrough's purview. Access to an Employee Assistance Program for fire fighters was requested. Dan Rosenthal would check on this.

Brad Accettella spoke about the need and benefits of a space for children to learn to ride bicycles. Bicycles were donated to Parks and Recreation. Parents have indicated that it is difficult for kids to ride bicycles in town because of winding and narrow nature of roads in Newtown. Learning to ride is challenging because of steep driveways, narrow roads, and the need to transport bicycles to another part of town for the sake of learning. The plan is that parents could sign out a bicycle at the Community Center. The park would be ideal for ages 3 to 12. Parent supervision would be necessary. The park would provide features that help kids learn safety, rules, and how to navigate different terrains. The request for funds would cover the design and components.

The proposal was in a previous budget, but P&Z had not approved the use of Fairfield Hills. That approval is now in place.

There not being a quorum, working group members left at 7:35pm.

Respectfully submitted,

Michelle Embree Ku

These minutes are subject to approval by the American Rescue Plan Working Group at the next meeting

Attachment A

June 14, 2022

Pat Reilly Chairman Newtown Board of Fire Commissioners Town of Newtown, 3 Primrose Street Newtown, CT 06470

RE: Additional ARPA Funding Request

Dear Mr. Reilly:

Please forward this to the First selectmen for request of additional ARPA funding for the Newtown Fire Companies. Each fire company is requesting an additional \$100,000 to supplement their costs on the attached items outlined on the second page of the document. I have provided a brief description for each item.

Like many of the surrounding towns our volunteer emergency services are the only agencies who did not alter operations, work from home or limit hours during COVID. We did not have the choice but to provide service to the town residences thus putting our own families at risk.

When it comes to disbursement of funds, in many cases, the towns took surveys and overwhelmingly the results came back in favor of using the funds to assist the Fire Departments and their members.

We would invite the opportunity to meet with the first selectmen and answer any questions he may have.

In addition, justify the importance of these items to each department.

Thank you for your support,

Sincerely,

Newtown Fire Chief's

<u>Dodgingtown</u> Epoxy coating for bay floors \$25,000 Brushfire rescue skid for UTV \$25,000 Pave front parking lot \$25,000

<u>Hawleyville</u> Replace roof \$40,000 Refurbishment of New Rescue Truck \$30,000 Fire Station vehicle exhaust removal system \$30,000

<u>Hook & Ladder</u> Hydrofusion Strut system \$50,000 Training props, inclined roof structure, extraction pad \$50,000

<u>Botsford</u> Pave parking lot \$100,000

<u>Sandy Hook</u> Equipment for new Quint 440 \$27,750 <u>Main Station</u> painting/interior/exterior/Trim repair \$28,000 Replace floor in front office area \$12,000 <u>Station 2</u> Epoxy Bay floor \$25,000

<u>Fire Marshall Office</u> Replace vehicle \$70,000

Rescue Support Systems

HydraFusion Struts

The Paratech HydraFusion Struts offer end users the ability to lift up to 10 U.S. tons with a safety factor of 2:1 and to stabilize up to 20,000 lbs. with a safety factor of 4:1. The innovative, built in Dual Shaft End Adapter (patent pending) allows users to safely use Paratech LongShore, LockStroke or AcmeThread Struts and Extensions in conjunction with the incredible lifting ability of the HydraFusion Strut.

HydraFusion Strut Kits

HydraFusion Strut 04 Kit

draFusion

Strut 10 Kit Net Weight: 51.8 lb 23.5 kg

Part No. 22-79HA10K

Net Weight: 42.2 lb 19.2 kg Part No. 22-79HA04K

All lift 10 tons (9.0 t) with a 2:1 safety factor. All shore 20,000 lbs. (9.0 t) with a 4:1 safety factor



HydraFusion Pump With Gauge

With Gauge and Hose Only Net Weight: 23.2 lb 10.5 kg Part No. 22-790020G No-spill, flat-face hydraulic coupling with a non-conductive 10 ft (3 m) kink-resistant hose. Two speed, single acting, lightweight, 10,000 psi (630 bar), metal hydraulic pump.

vdraFusion

Net Weight: 2.2 lb 1.0 kg Net Part No. 22-790030X

ose Extension



and I

HydraFusion Struts Accessories



Strut Converter Use a Strut Converter to attach a base to the top end of a HydraFusion Strut Net Weight: 2.7lb 1.2kg Part No. 22-796035 HydraFusion Longshore Screw Adapter Net Weight: 6.11b 2.7kg Part No. 22-790019

<u>draFusion</u>

Strut 16 Kit

Net Weight: 60.7 lb 27.6 kg Part No. 22-79HA16K

> HydraFusion AcmeThread Screw Adapter Net Weight: 6.5lb 2.9kg Part No. 22-790067

Part No.		Lift Height		Net Weight		Ship Weight	
	Description	In	cm	lb	kg	lb	kg
22-79HA04	HydraFusion Strut 04 18.2 - 22.0 in / 46.2 - 55.8 cm	4	10.2	18.7	8.5	19.7	8.9
22-79HA10	HydraFusion Strut 10 25.2 - 35.0 in / 64.0 - 88.9 cm	10	25.4	28.3	12.8	29.3	13.3
22-79HA16	HydraFusion Strut 16 32.0 - 47.7 in / 81.3 - 121.2 cm	15,9	40.4	37.2	16.9	38.2	17.3
22-79HA04K	HydraFusion Strut 04 Kit	4	10.2	42.2	19.2	43.4	19.6
22-79HA10K	HydraFusion Strut 10 Kit	10	25.4	51.8	23.5	52.8	23.9
22-79HA16K	HydraFusion Strut 16 Kit	15.9	40.4	60.7	27.6	61.7	27.9
22-790020G	HydraFusion Pump with Gauge	N/A	N/A	23.2	10.5	24.5	11.1
22-790019	Hydrafusion LongShore Screw Adapter	N/A	N/A	6.1	2.7	7,5	3.4
22-790067	Hydrafusion AcmeThread Screw Adapter	N/A	N/A	6.5	2.9	8.1	3.6
22-796035	Strut Converter	N/A	N/A	2.7	1.2	3.1	1.4



S	172 Cro	oss Ro	E EQUIPMENT CO., INC. ad, Waterford. CT 06385 578 • Fax. (860) 444-7395	Quote		Quote No 35872 Purchase Orde	Quote Date 12/9/2020 No	Page 1
	14/14		PMANS.COM					
	VV VV	114.501	PMANS.COM					
CT DMV LICENSE # U8329						Ship to		
Bill To Newtown Hook & Ladder (E) 12 Church Hill Rd Newtown, CT 06470-2159 US					Newtown Hook & Ladder 9 Silver City Rd Attn; AC Jason Rivera Newtown, CT 06470-2159 US			
N18174 Net 30		Payment terms Net 30		Sispsn 107	Sispsn John Plofkin	(270		
Loc PPD/CO	COL Ship via			Ship Date Phone: 860-625-6370				
СТ	CT OUR TRUCK				A.S.A.P.	email: jplofkin		
Qty Order	ed	UOM	Item No			Unit price	Disc	Extended price
	1.00	EA	*EQUIP MISC Paratech Heavy Vehicle Extrication kit, 822-88HVEK			54,350.00		54,350.00
	1.00	EA	FREIGHT Freight			575.00		575.00
			—			at to abando		

1

Freight charge is calculated at time of quote and is subject to change

TERMS AND CONDITIONS: TERMS: NET 30 DAYS. QUOTE VALID FOR 30 DAYS. WE RESERVE THE RIGHT TO CORRECT CLERICAL ERRORS AT ANY TIME. THE QUOTE TOTAL MAY NOT REFLECT MISCELLANEOUS CHARGES, FREIGHT OR SALES TAX

Quote Total

54,925.00